
WHAT ARE CAVITY TRAYS?

Cavity Trays are a preformed cavity flashing manufactured in sizes to suit Australian 270mm cavity walls.

Preformed cavity trays are a fully proven and accepted method of cavity flashing replacement in many countries including the United Kingdom and Europe.

Cavity Trays Australia are manufactured specifically to suit standard Australian cavities and brick sizes.

Each tray interlocks at each end therefore eliminating any onsite fabricating or joint sealing.



CAVITY TRAYS AUSTRALIA

Leaks caused by faulty cavity flashings is a common problem in many buildings.

Retrofit cavity trays provide a much easier installation than other systems being used while reducing the time taken for the installation.


Only one course of brick needs to be removed to allow the trays to be slotted into position with the tray forming a pressure seal against the internal skin.

It is generally accepted that in either new construction or remedial work using preformed trays can elevate and stabilise build quality.



Made to suit Australian size bricks and blocks, cavity trays are the easy alternative to difficult systems often used to rectify faulty cavity flashings.

Made from high density polyethylene and tested to meet Australian Standards as a material suitable for use as a damp-proof course and flashings.




Available in straight trays, left or right internal corners and left or right external corners.

Each tray slots onto the adjacent tray so a continuous seal is assured.



Straight Tray



TWO TYPES AVAILABLE

Type 1

has a 10mm turn down along the front edge of each tray.

Type 2

is without the turn down when a turn down is not required.

Cavity Trays Australia also supply stop ends for adjusting the length of a tray when there is a need to shorten the last tray in a run.

We also stock a range of prefabricated weepas from Weepa Products Pty Ltd.

AUSTRALIAN STANDARDS

Meets the Australian Standards AS/NZS 2904:1995 Damp-proof courses and flashings.

CAVITY TRAYS AUSTRALIA PTY LTD

Address

16 Frost Road Campbelltown NSW 2560 Australia

> Phone 1300 872 977

Email

info@cavitytraysaus.com

Website

www.cavitytraysaustralia.com

Australian Standards AS/NZS 2904: 1995 Damp-proof courses and flashings.

> ASTM D 5885-06 AS/NZS 4347.1 AS/NZS 4347.3 AS/NZS 4347.6

Available on request.

PLACE AN ORDER

Cavity Tray Type 1 with a 10mm turn down		
WCTT1ST	Straight Tray	
WCTT1ER	External Right	
WCTT1EL	External Left	
WCTT1IR	Internal Right	
WCTT1IL	Internal Left	

Cavity Tray Type 2 with no turn down		
WCTT2ST	Straight Tray	
WCTT2ER	External Right	
WCTT2EL	External Left	
WCTT2IR	Internal Right	
WCTT2IL	Internal Left	

Cavity Tray Stop End	
WCTSTOPEND	Cavity Tray Stop End

Cavity Tray Weepa	
WCTWEEPA	Cavity Tray Weepa Pack of 25